KATO, et al., 10/820,034   566.43759X00 | HT190201
27 December 2005 Amendment   Page 2
Responsive to 27 September 2005 Office Action

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of

claims in the application:

1. (Currently Amended)   A guidance information providing system

which outputs guidance information of a destination in accordance with an

operation from a movable operation device, to any one of a plurality of output

devices connected to said operation device through a network, comprising:

a position direction obtaining means which obtains a current position

and a moving direction of said operation device;

a destination information obtaining means which obtains information of

the destination;

a route information generating means which generates route

information ~~of a~~ to said destination from information of said current position

and said destination by use of a map information possessed in advance;

an output device management means which manages an information

of an installation position of said output device;

an output device selecting means which selects one output device

from said plurality of the output devices, on the basis of information of said

current position, said moving direction and the installation position of said

output device;

a selected output device presenting means which presents an

information that specifies said selected output device to the operation device;

and

an information display instructing means which displays said generated

route information displayed on said selected output device in accordance with

said information to be specified.

2. (Currently Amended)   The guidance information providing system

according to Claim 1, further comprising,

a guidance information calculating means, wherein,

said output device management means further manages said

information of to a direction of said output device;

said guidance information calculating means calculates said guidance

information of said destination from said generated route information and said

information of a direction of to said selected output device; and

said information display instructing means displays said guidance

information as said route information.

3. (Original) The guidance information providing system according to

Claim 1, wherein,

said information to specify in said selected output device presenting

means includes a direction in which said selected output device exists, and a

color or/and a pattern to be displayed by said selected output device.

4. (Currently Amended)   The guidance information providing system

according to Claim 3, wherein,

said selected output device presenting means comprises an-a display

means which indicates forward, leftward, rightward, and

said direction in which said selected output device exists is indicated

by said display means.

5. (Original) The guidance information providing system according to

Claim 1, wherein,

said output device selecting means selects an output device which is

unused, exists in a predetermined region to said operation device, and gives

the shortest distance form the operation device, out of said output devices.

6. (Original) The guidance information providing system according to

Claim 1, wherein,

said output device selecting means selects an output device which has

an unused one out of usable colors or/and patterns, exists in a predetermined

region to said operation device, and gives the shortest distance from the

operation device, out of said output devices.

7. (Currently Amended)   The guidance information providing system

according to Claim 1, further comprising,

KATO, et al., 10/820,034   566.43759X00 | HT190201
27 December 2005 Amendment   Page 5
Responsive to 27 September 2005 Office Action

a display stopping means which stops display of said generated

guidance information on said selected output device.

8. (Currently Amended)   A guidance information providing method

which outputs a guidance information of-to a destination, in accordance with

an operation from a movable operation device, to any one of a plurality of

output devices connected to said operation device through a network,

comprising:

a position direction obtaining step which obtains a current position and

a moving direction of said operation device;

a guidance information generating and a output device selecting step

which generates an-a route information of-to the destination, from information

of said current position and said destination, by use of map information

possessed in advance, and selects one output device from said plurality of

output devices, on the basis of information of said current position, said

moving direction and the installation position of said output device; and

an information display instructing step which presents an information to

specify said selected output device to the operation device, and displays said

generated route information on said selected output device in accordance

with said information to specify.

9. (Currently Amended)   The guidance information providing method

according to Claim 8, comprising further-comprises

KATO, et al., 10/820,034
27 December 2005 Amendment
Responsive to 27 September 2005 Office Action

566.43759X00 | HT190201
Page 6

a guidance information calculating step which calculates guidance

information ~~of~~ to the destination from said route information and an

information of a direction ~~of~~ to said output device managed in said plurality of

output devices, and

a displaying step which displays said guidance information as said

route information, in said information display instructing step.

10. (Currently Amended) ~~A guidance information providing program~~

~~comprises a computer being functioned as:~~ One or more machine-readable

medium, containing at least one sequence of instructions that, when

executed, causes a machine to effect:

a position direction obtaining means which obtains a current position

and a moving direction of ~~said~~ a moveable operation device;

a destination information obtaining means which obtains information of

~~the~~ a destination;

a route information generating means which generates a route

information of the destination from information of said operation device and

said destination by use of a map information possessed in advance;

an output device management means which manages information of

installation positions of a plurality of output devices connected to said

operation device through a network;

an output device selecting means which selects one output device

from said plurality of the output devices, on the basis of information of said

KATO, et al., 10/820,034   566.43759X00 | HT190201
27 December 2005 Amendment   Page 7
Responsive to 27 September 2005 Office Action

current position, said moving direction and the installation position of said

output device;

a selected output device presenting means which presents an

information to specify said selected output device to the operation device; and

an information display instructing means displays to instruct display of

said generated route information on said selected output device in

accordance with said information to specify.

11. (Currently Amended)   The guidance information providing program

One or more machine-readable medium according to Claim 10, wherein:

a computer is functioned as a guidance information calculating means;

said output device management means further also manages an

information of a direction of said output device;

and wherein said at least one sequence of instructions that, when

executed, causes the machine to effect:

said a guidance information calculating means which calculates said

guidance information of to said destination from said generated route

information and said information of a direction of said selected output device;

and

said information display instructing means displays said guidance

information as said route information.